



QUESTIONNAIRE

US

TARTLER GmbH, Relystr. 48, 64720 Michelstadt (Germany)

Fax: +49 (0) 6061 / 96 72-295, E-Mail info@tartler.com

Attention: Material data sheet and process/application info.

Material (Component A)

Name	<input type="text"/>	
Producer	<input type="text"/>	
Density	<input type="text"/>	lb/inch ³
Viscosity	<input type="text"/>	mPas
Packing size	<input type="text"/>	

Material (Component B)

Name	<input type="text"/>	
Producer	<input type="text"/>	
Density	<input type="text"/>	lb/inch ³
Viscosity	<input type="text"/>	mPas
Packing size	<input type="text"/>	

Material (Component C)

Name	<input type="text"/>	
Producer	<input type="text"/>	
Density	<input type="text"/>	lb/inch ³
Viscosity	<input type="text"/>	mPas
Packing size	<input type="text"/>	

Material (Component D)

Name	<input type="text"/>	
Producer	<input type="text"/>	
Density	<input type="text"/>	lb/inch ³
Viscosity	<input type="text"/>	mPas
Packing size	<input type="text"/>	



QUESTIONNAIRE

US

TARTLER GmbH, Relystr. 48, 64720 Michelstadt (Germany)
Fax: +49 (0) 6061 / 96 72-295, E-Mail info@tartler.com

Machine frame

Machine frame Mobil Stationary

Autom. machine control **Note: Automatic machine control = flow control and self regulation of mixing ratio and output. (Internal closed process loop)**

yes no

If Yes: Data protocol necessary?

by USB-Stick

with Computer-Software, Online

Ethernet connection

Shot size mode yes no

Potlife alarm yes no

Automatic flushing system Air purge A-comp. purge
 Between shot Solvent purge
 no

Hose set length 7.8 ft 16.4 ft 32.8 ft
 Special version ft

Tanks A 0.79 gal 1.32 gal 2.54 gal 7.93 gal
 15.85 gal 26.42 gal 52.84 gal
 Special version gal

Tanks B 0.79 gal 1.32 gal 2.54 gal 7.93 gal
 15.85 gal 26.42 gal 52.84 gal
 Special version gal

Tanks C 0.79 gal 1.32 gal 2.54 gal 7.93 gal
 15.85 gal 26.42 gal 52.84 gal
 Special version gal



QUESTIONNAIRE

US

TARTLER GmbH, Relystr. 48, 64720 Michelstadt (Germany)
Fax: +49 (0) 6061 / 96 72-295, E-Mail info@tartler.com

Machine frame

Tanks D 0.79 gal 1.32 gal 2.54 gal 7.93 gal
 15.85 gal 26.42 gal 52.84 gal
 Special version gal

Automatic refill A B C D no

In case of refilling Sight Glass in Lid A B C D no

Agitator A electric pneumatic no

Agitator B electric pneumatic no

Agitator C electric pneumatic no

Agitator D electric pneumatic no

Heating A electric water/oil no

Heating B electric water/oil no

Heating C electric water/oil no

Heating D electric water/oil no

Level control A minimum no

Level control B minimum no

Level control C minimum no

Level control D minimum no

Mixhead versions

Mixhead versions Dynamic mixing with 'one way static mixer' without solvent,
only with air cleaning
 One way static mixer

Mixhead motor pneumatic electric

Mixhead handling manual stationary with handling system
